Covenant Medical Group • Orthopaedics

Orthopaedic Surgery & Sports Medicine • Garrett Kerns, DO

900 Cooper, Suite 3100 • Saginaw, Michigan 48602 • 989.583.7450 Tel • 989.583.7452 Fax

MEDICATION INSTRUCTIONS FOR DIRECT ANTERIOR TOTAL HIP ARTHROPLASTY

No Medical Comorbidities • 65 Years and Over

ı			₹S	T '	O /I	ш	ΛI	ш	9 C	DD	IOR '	TO (CI	ID۱	CEE	v	٧.
ı	Г	IГ	าอ		24	п	UI	IJΓ	าอ	ΓN	IUN	IU,	อน	וחו	JEF	1 I	

☐ Celebrex® 200 mg twice daily with food to be taken at 8:00 am. and 8:00 pm.
$\hfill \Box$ OxyContin® 10 mg twice daily to be taken at 8:00 am and 8:00 pm.
POST-OP MEDICATION REGIMEN:
☐ Celebrex 200 mg twice daily with food for a total of 2 weeks until prescription is completed.
☐ Tylenol® 1000 mg to be taken 3 times daily for 1 week. Then can be take it as needed for pain. Patient needs to purchase over-the-counter Tylenol 500 mg tablets.
☐ Aspirin 81 mg twice daily for a total of 6 weeks for DVT prophylaxis.
□ Dilaudid® 2 mg every 4 hours as needed for pain 20 pills total

