# **Medication Instructions for Shoulder Arthroplasty**

#### FIRST 24 HOURS PRIOR TO SURGERY:

Anti I	Infl	amm	atories
Allu-		ıaııııı	atories

- O Mobic 15 mg once daily with food to be taken at 8:00 a.m.
- O Celebrex 200 mg twice daily with food to be taken at 8:00 a.m. and 8:00 p.m.

## **Pain Medications**

O OxyContin 10 mg twice daily to be taken at 8:00 a.m. and 8:00 p.m.

### Nerve Pain (not for those older than 65)

- O Lyrica 50 mg twice daily to be taken at 8:00 a.m. and 8:00 p.m.
- O Neurontin 300 mg twice daily to be taken at 8:00 a.m. and 8:00 p.m.

#### **POST OPERATIVE MEDICATION REGIMEN:**

## **Anti-Inflammatories**

- O Mobic 15 mg to be taken once daily with food until prescription is completed.
- O Celebrex 200 mg twice daily with food to be taken at 8:00 a.m. and 8:00 p.m.

#### **Pain Medications**

- O Tylenol 1000 mg to be taken 3 times daily for 1 week. Then can be take it as needed for pain. Patient needs to purchase over-the-counter 500 mg Tylenol tablets.
- OxyContin 10 mg twice daily to be taken at 8:00 a.m. and 8:00 p.m. Take prescription until complete, a total of 4 days.
- O Dilaudid 2 mg every 4 hours as needed for pain with a total of 20 pills.

# Nerve Pain (not for those older than 65)

- O Lyrica 50 mg twice daily to be taken at 8:00 a.m. and 8:00 p.m.
- O Neurontin 300 mg twice daily to be taken at 8:00 a.m. and 8:00 p.m.