



Mercy Sports Medicine Institute &
Joint Preservation Center

Robert Kollmorgen D.O.

Sylvania Ave PH: 419-517-8178 Perrysburg PH: 419-873-6194

St Vincent's Hospital PH: 419-251-6784

ISOLATED SLAP REPAIR

Revised August 2008

Post-op Days 1 – 7

Sling x 6 weeks – Even while sleeping

– Place pillow under shoulder / arm while sleeping for comfort

Hand squeezing exercises

Elbow and wrist active motion (AROM) with shoulder in neutral position at side

Supported pendulum exercises

Shoulder shrugs / scapular retraction without resistance

Ice pack

Goals

Protection & Pain control

Days 7 – 14

Continue sling x 6 weeks

Continue appropriate previous exercises

Full pendulum exercises

Active assist motion (AAROM) supine with wand

– Flexion to 90 degrees

– Abduction to 60 degrees

– ER to 15 degrees

– IR to 45 degrees

1-2 Finger Isometrics x 6 (fist in box)

Stationary bike (must wear sling)

Goal – AAROM Flexion to 90 degrees, Abduction to 60 degrees

Weeks 2 – 4

Continue sling x 6 weeks

Continue appropriate previous exercises

AAROM supine with wand

– Flexion to 120 degrees

– Abduction to 90 degrees

– ER to 30 degrees

– IR to 60 degrees

Goal – AAROM Flexion to 120 degrees, Abduction to 90 degrees

Weeks 4 – 6

Continue sling x 6 weeks

Continue appropriate previous exercises

AAROM (supine with wand, wall climbs)

– Flexion to 150 degrees

– Abduction to 120 degrees

– ER to 50 degrees

– IR to 60 degrees

Push-up plus against the wall

Treadmill – Walking progression program

Goal – AAROM Flexion to 150 degrees, Abduction to 120 degrees

Weeks 6 – 9

D/C Sling

Continue appropriate previous exercises

AAROM, AROM through full range

– Begin pulleys prn

– Wand behind back for IR

Rotator cuff strengthening with Theraband

– ER and IR arm at side with rolled towel in axilla

– Flexion to 60 degrees

– Abduction to 60 degrees

– Scaption to 60 degrees

– Extension to 30 degrees

Standing rows with Theraband

Resistive elbow / wrist exercises with light dumbbell

Push-up progression – Wall

Body Blade

Ball on wall (arcs, alphabet)

BAPS on hands

UBE – Forwards and backwards at low resistance

Elliptical trainer

Stairmaster

Pool walking / running – No UE resistive exercises

Goals

Full AROM

30 wall push-ups

Weeks 9 – 12

Continue appropriate previous exercises with increased resistance

PROM / mobilization as needed to regain full ROM

Seated row weight machine with light weight

Push-up progression – Wall to table

Ball toss with arm at side using light ball

Treadmill – Running progression program

Pool therapy – With UE resistance

Goal – Rotator cuff strength WNL

Months 3 – 4

Continue appropriate previous exercises

Fitter on hands

Ball toss overhead

Weight training with light resistance (no overhead press, pull downs, lateral lifts)

Push-up progression – Table to chair

Goals

Run 2 miles at easy pace

30 chair push-ups

Months 4 – 6

Continue appropriate previous exercises

Push-ups, regular

Sit-ups

Gravitrone – Pull-ups and dips

Swimming

Running progression to track

Progressive weight training program

Transition to home / gym program

Goals

Resume all activities at 6 months post-op

No contact sports until 6 months post-op