Medial Patellofemoral Ligament Reconstruction Rehabilitation Program

I. <u>IMMEDIATE POST-OPERATIVE PHASE</u> (Day 1 - Day 5)

Goals: Diminish swelling/inflammation (control hemarthrosis)

Diminish post-operative pain Initiate voluntary quadriceps control

Independent Ambulation

Brace: Brace locked full extension for ambulation & sleeping only (POD

1 - Week 4)

Weight Bearing: As tolerated two crutches (approx. 50% WB)

Swelling/Inflammation Control: Cryotherapy

Compression Bandage Elevation & Ankle Pumps

Range of Motion: Full passive knee extension

Flexion to 30 degrees (Day 1 to 5) Flexion to 45 degrees (Day 6-7) PROM and gentle AAROM only

Muscle Retraining: Quadriceps setting isometrics

Straight Leg Raises (Flexion)

Hip Adduction

Electrical muscle stim to Quads
* NO active Knee Extension

Flexibility: Hamstring and Calf Stretches

PROM/AAROM within ROM limitations

II. ACUTE PHASE (Week 2-4)

Goals: Control swelling and pain

Promote healing of soft tissue

Promote medial displacement of patella (hip control & foot

control)

Quadriceps Strengthening

Brace: Continue brace for ambulation only

Discontinue brace (week 4)

Consider PF brace for ambulation & sleeping (Berg PTO,

Bauerfeind P3, or DJO PF Brace) at end of week 4

Weight Bearing: Progress WBAT (2 crutches for 4 weeks)

Swelling/Inflammation: Continue use of cryotherapy

Elevation

Range of Motion: PROM/AAROM exercises



Patella mobilization medial, superior & inferior Range of Motion 0-60 degrees (Week 2) Range of Motion 0-75 degrees (Week 3) Range of Motion 0-90 & > degrees (Week 4)

Muscle Retraining: Electrical muscle stimulation to quads

Quad Setting Isometrics Straight Leg Raises (flexion) Hip Adduction/Abduction

Hip Extension

Gentle submaximal isometric knee extension (multi-

angle)

Week 4: Light Leg Press

Vertical Squats (no weight)

Flexibility: Continue Hamstring, Calf Stretches

III. SUBACUTE PHASE - "MOTION" PHASE (Week 5-8)

Goals: Gradual improvement in ROM

Improve muscular strength and endurance Control forces on extension mechanism

Weight Bearing: One crutch (week 4-6)

Discontinue crutch week 6

PF Brace: Consider PF brace for ambulation & sleeping (Berg PTO,

Bauerfeind P3, or DJO PF Brace)

Range of Motion: PROM 0-105 and > degrees (week 5)

PROM 0-115 degrees (week 6) PROM 0-125/135 degrees (week 8)

Continue patella mobilizations medial, superior & inferior

Exercises: Continue electrical muscle stimulation to quadriceps

Quadriceps setting isometrics

Hip adduction, abduction, and extension

Vertical Squats Leg Press

Knee Extension Light (0-60 degrees)

Bicycle (week 6-8)

Pool Program [walking, strengthening (when able)]

Flexibility: Continue all stretching exercises for LE

IV. STRENGTHENING PHASE (Week 9-16)

Goals: Gradual improvement of muscular strength

Functional activities/drills

Criteria To Progress to Phase IV:

1. ROM at least 0-115 degrees

- 2. Absence of swelling/inflammation
- 3. Voluntary control of quads



Exercises: Vertical Squats (0-60 degrees)

Wall Squats (0-60 degrees)

Leg Press Forward Lunges Lateral Lunges Lateral Step-ups

Knee Extension (60-0 degrees) Hip Adduction/Abduction

Bicycle

Stairmaster machine

V. RETURN TO ACTIVITY PHASE

Goal: Functional return to specific drills

Criteria to Progress to Phase V:

1. Full Non-Painful ROM

2. Appropriate Strength Level (80% or greater of contralateral leg)

3. Satisfactory clinical exam

Exercises: Functional Drills

Strengthening Exercises Flexibility Exercises Continue use of PF brace

Gradually return to functional activities